



Enriching lives through innovation

Safety Data Sheet

according to Regulation (EC) 1907/2006 (REACH)

Revision date: 2020-07-21

Supersedes: 2019-01-10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier:

Product trade name: OMICURE* DDA50
Company product number: DDA50
REACH registration number: Mixture
Other means of identification: Not Available

1.2. Relevant identified uses of the substance or mixture and uses advised against:

Uses: Curing agent.
Uses advised against: None identified

1.3. Details of the supplier of the safety data sheet:

Manufacturer/Supplier: CVC Thermoset Specialties
2980 Route 73 North
Maple Shade, New Jersey 08052 United States
Customer service telephone: +1-856-533-3000

EU Only Representative: Penman Consulting bvba
Avenue des Arts 10
B-1210 Brussels
Belgium
Telephone: +32 (0) 2 305 0698
email: pcbvba09@penmanconsulting.com

For further information about this SDS: Email: cts.customerservice@huntsman.com

1.4. Emergency telephone number:

ChemTel (24 hours): 1-800-255-3924 (USA); +1-813-248-0585 (outside USA).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture:

Product classification according to Regulation (EC) 1272/2008 (CLP) as amended:

Not classified as hazardous under any GHS hazard class according to Regulation (EC) 1272/2008 (CLP).

2.2. Label elements:

Product labeling according to Regulation (EC) 1272/2008 (CLP) as amended:

Hazard pictogram(s): Not Applicable
Signal word: Not Applicable
Hazard statements: Not Applicable
Precautionary statements: Not Applicable
Supplemental information: No Additional Information

2.3. Other hazards:

PBT/vPvB criteria: This product does not meet the PBT and vPvB classification criteria.
Other hazards: May form explosible dust-air mixture if dispersed.

See Section 11 for toxicological information.

SECTION 3: Composition/information on ingredients

3.2. Mixture:

<u>CAS-No.</u>	<u>Chemical Name</u>	<u>Weight%</u>	<u>Classification</u>	<u>H Statements</u>
Proprietary	Silica-amorphous	1-<3	Not classified	
<u>CAS-No.</u>	<u>Chemical Name</u>	<u>Weight%</u>	<u>REACH Registration No.</u>	<u>EC/List Number</u>
Proprietary	Silica-amorphous	1-<3	01-2119379499-16-XXXX	231-545-4

See Section 16 for full text of H (Hazard) statements (EC 1272/2008).

Notes: SILICA: Listed due to exposure limits.

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

SECTION 4: First aid measures

4.1. Description of first aid measures:

General: If irritation or other symptoms occur or persist from any route of exposure, remove the affected individual from the area: see a physician/get medical attention.

Eye contact: Any material that contacts the eye should be washed out immediately with water. Get medical attention if symptoms occur.

Skin contact: Wash the affected area thoroughly with plenty of soap and water. Get medical attention if symptoms occur.

Inhalation: If affected, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Call a POISON CENTER or doctor/physician if you feel unwell.

Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse out the mouth with water. Get medical attention immediately.

Protection of first aid responders: Wear proper personal protective clothing and equipment.

4.2. Most important symptoms and effects, both acute and delayed:

Irritation. Pre-existing skin problems may be aggravated by prolonged or repeated contact. See section 11 for additional information.

4.3. Indication of any immediate medical attention and special treatment needed:

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media:

Suitable: Carbon dioxide, foam, dry chemical, water.

Unsuitable: Avoid hose streams or any method which will create dust clouds.

5.2. Special hazards arising from the substance or mixture:

Unusual fire/explosion hazards: Concentrated dust/air combinations may produce explosive conditions. As with all organic dusts, fine particles suspended in air in critical proportions and in the presence of an ignition source may ignite and/or explode. Dust may be sensitive to ignition by electrostatic discharge, electrical arcs, sparks, welding torches, cigarettes, open flame, or other significant heat sources. As a precaution, implement standard safety measures for handling finely divided organic powders. See Section 7 for suggested measures.

Hazardous combustion products: Irritating or toxic substances will be emitted upon burning, combustion or decomposition. See section 10 (10.6 Hazardous decomposition products) for additional information.

5.3. Advice for firefighters:

Avoid hose streams or any method which will create dust clouds. Wear self-contained breathing apparatus (SCBA) equipped with a full facepiece and operated in a pressure-demand mode (or other positive pressure mode) and approved protective clothing. Personnel without suitable respiratory protection must leave the area to prevent significant exposure to hazardous gases from combustion, burning or decomposition. In an enclosed or poorly ventilated area, wear SCBA during cleanup

immediately after a fire as well as during the attack phase of firefighting operations.

See section 9 for additional information.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures:

See Section 8 for recommendations on the use of personal protective equipment. If spilled in an enclosed area, ventilate. Avoid raising powdered material due to explosion hazard. Use spark-proof and explosion-proof equipment. If inhalation of dust cannot be avoided, wear an approved particulate respirator.

6.2. Environmental precautions:

Do not flush product into public sewer, water systems or surface waters.

6.3. Methods and material for containment and cleaning up:

Contain spill. Wear proper personal protective clothing and equipment. Using care to avoid dust generation, vacuum or sweep into a closed container for reuse or disposal. Use approved industrial vacuum cleaner for removal. Avoid causing dust. Place into labeled, closed container; store in safe location to await disposal. Change contaminated clothing and launder before reuse.

6.4. References to other sections:

See Section 8 for recommendations on the use of personal protection and Section 13 for waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling:

As with any chemical product, use good laboratory/workplace procedures. Wash thoroughly after handling this product. Always wash up before eating, smoking or using the facilities. Use under well-ventilated conditions. Avoid eye contact. Avoid repeated or prolonged skin contact. Avoid drinking, tasting, swallowing or ingesting this product. Avoid routine inhalation of dust of any kind. Exercise care when emptying containers, sweeping, mixing or doing other tasks which can create dust. Wash contaminated clothing before reuse. Discard shoes contaminated with this product. Provide eyewash fountains and safety showers in the work area. As a precaution to control dust explosion potential, implement the following safety measures: Eliminate ignition sources (e.g., sparks, static buildup, excessive heat, etc.). In general, dust of organic materials is a static charge generator which may be ignited by electrostatic discharge, electrical arcs, sparks, welding torches, cigarettes, open flame, or other significant heat sources. Use spark-proof tools and equipment. Bond, ground and properly vent conveyors, dust control devices and other transfer equipment. Prohibit flow of polymer, powder or dust through non-conductive ducts, vacuum hoses or pipes, etc.; only use grounded, electrically conductive transfer lines when pneumatically conveying product. Good housekeeping and controlling of dusts are necessary for safe handling of product. Prevent accumulation of dust (e.g., well-ventilated conditions, promptly vacuuming spills, cleaning overhead horizontal surfaces, etc.).

7.2. Conditions for safe storage, including any incompatibilities:

Store cool and dry, under well-ventilated conditions. Keep away from heat, sparks and open flames. Store this material away from incompatible substances (see section 10). Do not store in open, unlabeled or mislabeled containers. Keep container closed when not in use.

7.3. Specific end use(s):

No Additional Information

SECTION 8: Exposure controls / personal protection

8.1. Control parameters:

Occupational exposure limits (OEL):

<u>Chemical Name</u>	<u>EU OELV</u>	<u>EU IOELV</u>	<u>ACGIH - TWA/Ceiling</u>	<u>ACGIH - STEL</u>
Silica-amorphous	N/E	N/E	N/E	N/E
<u>Chemical Name</u>	<u>UK WEL</u>	<u>Ireland OEL</u>		

Chemical Name

Silica-amorphous

UK WEL6 mg/m³ TWA (inhalable dust), 2.4 mg/m³ TWA (respirable dust), 18 mg/m³ STEL (inhalable dust), 7.2 mg/m³ STEL (respirable dust)**Ireland OEL**6 mg/m³ TWA (total inhalable dust), 2.4 mg/m³ TWA (respirable dust), 18 mg/m³ STEL (total inhalable dust), 7.2 mg/m³ STEL (respirable dust)

N/E=Not established (no exposure limits established for the listed substances for listed country/region/organization).

8.2. Exposure controls:

Appropriate engineering controls: Always provide effective general and, when necessary, local exhaust ventilation to draw dust away from workers to prevent routine inhalation. Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. Eliminate ignition sources (e.g., sparks, static buildup, excessive heat, etc.). Prohibit flow of powder or dust through non-conductive ducts, vacuum hoses, or pipes, etc. Bond, ground, and properly vent conveyors, dust control devices and other transfer equipment.

Individual protection measures, such as personal protective equipment:

Eye/face protection: Wear eye protection.

Hand protection: Avoid skin contact when mixing or handling the material by wearing impervious and chemical resistant gloves. In case of prolonged immersion or frequently repeated contact, gloves with breakthrough times greater than 240 minutes (protection class 5 or greater) are recommended. For brief contact or splash applications, gloves with breakthrough times of 10 minutes or greater are recommended (protection class 1 or greater). The protective gloves to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN 374. Suitability and durability of a glove is dependent on usage (e.g. frequency and duration of contact, other chemicals which may be handled, chemical resistance of glove material and dexterity). Always seek advice of the glove supplier as to the most suitable glove material.

Skin and body protection: Use good laboratory/workplace procedures including personal protective clothing: labcoat, safety glasses and protective gloves.

Respiratory protection: Respiratory protection is not needed with proper ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. If inhalation of dust cannot be avoided, wear an approved particulate respirator. Dust production: dust mask with filter type P1 or P2.

Further information: Eyewash fountains and safety showers are recommended in the work area.

Environmental exposure controls: See Sections 6 and 12.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties:**

Form:	Crystalline Powder	pH:	Not Available
Appearance:	White	Relative density:	1.4
Odour:	Slight	Partition coefficient (n-octanol/water):	-1 @ 20°C
Odour threshold:	Not Available	% Volatile by weight:	Not Available
Solubility in water:	Soluble	VOC:	Not Available
Evaporation rate:	Not Available	Boiling point °C:	Not Available
Vapour pressure:	Not Available	Boiling point °F:	Not Available
Vapour density:	Not Available	Flash point:	Not Applicable
Viscosity:	Not Available	Autoignition temperature:	>360°C (>680°F)
Melting point/Freezing point:	207-212 °C (404-414 °F)	Flammability (solid, gas):	Not flammable (may form combustible dust concentrations in air)
Oxidising properties:	Not oxidizing	Flammability or explosive limits:	LFL/LEL: Not Available
Explosive properties:	Not explosive		UFL/UEL: Not Available

Decomposition temperature: Not Available

Surface tension:

9.2. Other information:

Amounts specified are typical and do not represent a specification.

Dust combustibility data: CYANOQUANIDINE: Particle size variation is considered a critical factor in regards to dust explosion hazard information. Results applicable as follows: sample particle size <75 um, 0.3% moisture content. Sample tested may not be typical of product.:

- Maximum rate of pressure rise: 440 bars/sec
- Maximum pressure of explosion: 9.5 bars
- Deflagration Index, Kst (estimate): 119 bar-m/sec

SECTION 10: Stability and reactivity**10.1. Reactivity:**

None known.

10.2. Chemical stability:

This product is stable.

10.3. Possibility of hazardous reactions:

Hazardous polymerization will not occur.

10.4. Conditions to avoid:

Avoid dust formation.

10.5. Incompatible materials:

Avoid strong acids, bases, and oxidizing agents. Avoid strong oxidizers such as chlorates, bromates, and nitrates.

10.6. Hazardous decomposition products:

Carbon dioxide, carbon monoxide, oxides of nitrogen, hydrogen cyanides, isocyanates and amines.

SECTION 11: Toxicological information**11.1. Information on toxicological effects:****Information on likely routes of exposure:**

General: Caution must be exercised through the prudent use of protective equipment and handling procedures to minimize exposure. CYANOQUANIDINE: At higher concentrations, may cause blood effects including formation of methaemoglobin (cyanosis), based on animal data.

Eyes: Solid particles on the eye (powder/dust) may cause pain and be accompanied by irritation.

Skin: Repeated or prolonged skin contact may cause irritation.

Inhalation: Dust inhalation may cause respiratory irritation.

Ingestion: Ingestion may cause irritation.

Acute toxicity information: Not classified (based on available data, the classification criteria are not met). ATEmix (oral): >5000 mg/kg. ATEmix (dermal): >2000 mg/kg. ATEmix (inhal.): >259 mg/m³, 4 hours.

Chemical Name	Inhalation LC50	Species	Oral LD50	Species	Dermal LD50	Species
Silica-amorphous	>2.2 mg/L (1 hour, no mortalities)	Rat/ adult	>5000 mg/kg	Rat/ adult	>5000 mg/kg	Rabbit/ adult

Skin corrosion/irritation: Not classified (based on available data, the classification criteria are not met).

Chemical Name	Skin irritation	Species
Silica-amorphous	Non-irritant	Rabbit/ adult

Serious eye damage/irritation: Not classified (based on available data, the classification criteria are not met).

Chemical Name
Silica-amorphous

Eye irritation
Non-irritant

Species
Rabbit/ adult

Respiratory or skin sensitization: Not classified (based on available data, the classification criteria are not met).

CYANOQUANIDINE: Based on the weight of evidence of several skin sensitization studies, this material does not have sensitizing potential.

Chemical Name
Silica-amorphous

Skin sensitisation
Non-sensitizer

Species
N/E

Carcinogenicity: Not classified (based on available data, the classification criteria are not met). CYANOQUANIDINE: 2-year carcinogenicity study in rats resulted in a determination that this material has no carcinogenic potential. NOAEL (no-observed-adverse-effect-level) (carcinogenicity), rat: 15000 ppm; LOAEL (Lowest-observable-adverse-effect-level) (carcinogenicity), rat: 50000 ppm.

Germ cell mutagenicity: Not classified (based on available data, the classification criteria are not met). CYANOQUANIDINE: Mutagenicity was negative in in-vitro genotoxicity assays.

Reproductive toxicity: Not classified (based on available data, the classification criteria are not met). CYANOQUANIDINE: Reproductive toxicity, 2-generation oral study in rats: NOAEL (no-observed adverse-effect-level) = 725-1002 mg/kg/day. Prenatal Developmental toxicity, oral, rabbit, rats: NOAEL of 1000 mg/kg bw/day (maternal toxicity, embryo/fetal developmental toxicity).

Specific target organ toxicity (STOT) - single exposure: Not classified (based on available data, the classification criteria are not met). CYANOQUANIDINE: In oral acute toxicity studies, the following effects were observed within 1-2 hours of dosing at high doses (30,000 mg/kg) but disappeared within 18 hours after dosing: hypothermia, decrease in locomotor activity, cyanosis and lateral position.

Specific target organ toxicity (STOT) - repeated exposure: Not classified (based on available data, the classification criteria are not met). CYANOQUANIDINE: Repeated dose study, oral, rats: NOAEL (no-observed-adverse-effect-level)= 570-1000 mg/kg/day.

Aspiration hazard: Not classified (technical impossibility to obtain the data).

Other toxicity information: No additional information available.

SECTION 12: Ecological information

12.1. Toxicity:

Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50 >100 mg/L in most sensitive species tested).

Chemical Name	Species	Acute	Acute	Chronic
Silica-amorphous	Fish	LC50 >10000 mg/L (96 hours)	N/E	N/E
Silica-amorphous	Invertebrates	EC50 >1000 mg/L (48 hours)	N/E	N/E
Silica-amorphous	Algae	EC50 440 mg/L (72 hours) (similar materials)	N/E	N/E

12.2. Persistence and degradability:

Not readily biodegradable.

Chemical Name	Biodegradation
Silica-amorphous	Not applicable (inorganic)

12.3. Bioaccumulative potential:

Not expected to bioaccumulate.

Chemical Name	Bioconcentration Factor (BCF)	Log Kow
Silica-amorphous	N/E	no bioaccumulation expected

12.4. Mobility in soil:

No specific information available.

Chemical Name	Mobility in soil (Koc/Kow)
Silica-amorphous	inert material

12.5. Results of PBT and vPvB assessment:

This product does not meet the PBT and vPvB classification criteria.

12.6. Other adverse effects:

No additional information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods:

Dispose of unused contents (incineration or landfill) in accordance with national and local regulations. Dispose of container in accordance with national and local regulations. Ensure the use of properly authorized waste management companies, where appropriate.

See Section 8 for recommendations on the use of personal protective equipment.

SECTION 14: Transport information

The information below is provided to assist in documentation. It may supplement the information on the package. The package in your possession may carry a different version of the label depending on the date of manufacture. Depending on inner packaging quantities and packaging instructions, it may be subject to specific regulatory exceptions.

14.1. UN number: N/A

14.2. UN proper shipping name:

Not regulated - See Bill of Lading for Details

14.3. Transport hazard class(es):

U.S. DOT hazard class: N/A

Canada TDG hazard class: N/A

Europe ADR/RID hazard class: N/A

IMDG Code (ocean) hazard class: N/A

ICAO/IATA (air) hazard class: N/A

A "N/A" listing for the hazard class indicates the product is not regulated for transport by that regulation.

14.4. Packing group: N/A

14.5. Environmental hazards:

Marine pollutant: Not Applicable

Hazardous substance (USA): Not Applicable

14.6. Special precautions for user:

Not Applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code:

Not Applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Europe REACH (EC) 1907/2006: Applicable components are registered, exempt or otherwise compliant. REACH is only relevant to substances either manufactured or imported into the EU. Huntsman Corporation has met its obligations under the REACH regulation. REACH information regarding this product is provided for informational purposes only. Each Legal Entity may have differing REACH obligations, depending on their place in the supply chain. For material manufactured outside of the EU, the importer of record must understand and meet their specific obligations under the regulation.

EU Authorizations and/or restrictions on use: Not Applicable

Other EU information: No Additional Information

National regulations: No Additional Information

Chemical inventories:

<u>Regulation</u>	<u>Status</u>
Australian Inventory of Chemical Substances (AICS):	Y
Canadian Domestic Substances List (DSL):	Y
Canadian Non-Domestic Substances List (NDSL):	N
China Inventory of Existing Chemical Substances (IECSC):	Y
European EC Inventory (EINECS, ELINCS, NLP):	Y
Japan Existing and New Chemical Substances (ENCS):	Y
Japan Industrial Safety and Health Law (ISHL):	Y
Korean Existing and Evaluated Chemical Substances (KECL):	Y
New Zealand Inventory of Chemicals (NZIoC):	Y
Philippines Inventory of Chemicals and Chemical Substances (PICCS):	Y
Taiwan Inventory of Existing Chemicals:	Y
U.S. Toxic Substances Control Act (TSCA) (Active):	Y

A "Y" listing indicates all intentionally added components are either listed or are otherwise compliant with the regulation. A "N" listing indicates that for one or more components: 1) there is no listing on the public inventory (or is not on the ACTIVE inventory for U.S. TSCA); 2) no information is available; or 3) the component has not been reviewed. A "Y" for New Zealand may mean that a qualified group standard may exist for the components in this product.

15.2. Chemical safety assessment:

A chemical safety assessment has been carried out for the substance or mixture.

SECTION 16: Other information

Reason for revision: Changes in Section(s): 1

Evaluation method for classification of mixtures: Calculation method, On basis of test data

Legend:

* : Trademark owned by Huntsman Corporation.

ACGIH: American Conference of Governmental Industrial Hygienists

EU OELV: European Union Occupational Exposure Limit Value

EU IOELV: European Union Indicative Occupational Exposure Limit Value

N/A: Not Applicable

N/E: None Established

STEL: Short Term Exposure Limit

TWA: Time Weighted Average (exposure for 8-hour workday)

Users Responsibility/Disclaimer of Liability:

The information set forth herein is based on our current knowledge, and is intended to describe the product solely with respect to health, safety and the environment. As such, it must not be interpreted as a guarantee of any specific property of the product. As a result, the customer shall be solely responsible for deciding whether said information is suitable and beneficial.

Safety Data Sheet Preparer:

Product Compliance Department