



Enriching lives through innovation

## Safety Data Sheet (SDS)

### North American (U.S. and Canada)

Revision date: 2020-07-21

#### SECTION 1: Identification

**Product identifiers:**

**Product trade name:** OMICURE\* DDA5  
**Company product number:** DDA5  
**Other means of identification:** Not Available

**Recommended use of the chemical and restrictions on use:**

**Uses:** Curing agent  
**Restrictions on use:** None identified

**Details of the supplier:**

**Manufacturer/Supplier:** CVC Thermoset Specialties  
 2980 Route 73 North  
 Maple Shade, New Jersey 08052 United States  
 Customer service telephone: +1-856-533-3000  
**For further information about this SDS:** Email: cts.customerservice@huntsman.com

**Emergency telephone number:**

ChemTel (24 hours): 1-800-255-3924 (USA); +1-813-248-0585 (outside USA).

#### SECTION 2: Hazard(s) identification

Information in accordance with U.S. 29 CFR 1910.1200 (Hazcom 2012) and Canada Hazardous Products Regulations (WHMIS 2015):

**Classification of the product:**

Combustible Dust

**Label elements:**

**Hazard pictogram(s):** Not Applicable

**Signal word:**

Warning

**Hazard statements:**

USH001 May form combustible dust concentrations in air.

**Precautionary statements:** Not Applicable

**Supplemental information:** No Additional Information

**Hazards not otherwise classified:**

**Physical hazards not otherwise classified:** No Additional Information

**Health hazards not otherwise classified:** No Additional Information

See Section 11 for toxicological information.

#### SECTION 3: Composition/information on ingredients

**Mixture:**

<u>CAS-No.</u>	<u>Chemical Name</u>	<u>Weight%*</u>
Proprietary	Silica-amorphous	1-<5

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits. \* Exact percentage values for components are proprietary (trade secret) in accordance with 29 CFR 1910.1200(i) and Hazardous Products Regulations 4.4.1.

## SECTION 4: First-aid measures

### Description of first aid measures:

**General:** If irritation or other symptoms occur or persist from any route of exposure, remove the affected individual from the area: see a physician/get medical attention.

**Eye contact:** Any material that contacts the eye should be washed out immediately with water. Get medical attention if symptoms occur.

**Skin contact:** Wash the affected area thoroughly with plenty of soap and water. Get medical attention if symptoms occur.

**Inhalation:** If affected, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Call a POISON CENTER or doctor/physician if you feel unwell.

**Ingestion:** Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse out the mouth with water. Get medical attention immediately.

**Protection of first aid responders:** Wear proper personal protective clothing and equipment.

**Most important symptoms and effects, both acute and delayed:** Irritation. Pre-existing skin problems may be aggravated by prolonged or repeated contact. See section 11 for additional information.

**Indication of any immediate medical attention and special treatment needed, if necessary:** Treat symptomatically.

## SECTION 5: Fire-fighting measures

**NFPA flammability class:** N/A (Combustible solid)

### Extinguishing media:

**Suitable:** Carbon dioxide, foam, dry chemical, water.

**Unsuitable:** Avoid hose streams or any method which will create dust clouds.

### Special hazards arising from the chemical:

**Unusual fire/explosion hazards:** Concentrated dust/air combinations may produce explosive conditions. As with all organic dusts, fine particles suspended in air in critical proportions and in the presence of an ignition source may ignite and/or explode. Dust may be sensitive to ignition by electrostatic discharge, electrical arcs, sparks, welding torches, cigarettes, open flame, or other significant heat sources. As a precaution, implement standard safety measures for handling finely divided organic powders. See Section 7 for suggested measures.

**Hazardous combustion products:** Irritating or toxic substances will be emitted upon burning, combustion or decomposition. See section 10 (Hazardous decomposition products) for additional information.

**Special protective equipment and precautions for fire-fighters:** Avoid hose streams or any method which will create dust clouds. Wear self-contained breathing apparatus (SCBA) equipped with a full facepiece and operated in a pressure-demand mode (or other positive pressure mode) and approved protective clothing. Personnel without suitable respiratory protection must leave the area to prevent significant exposure to hazardous gases from combustion, burning or decomposition. In an enclosed or poorly ventilated area, wear SCBA during cleanup immediately after a fire as well as during the attack phase of firefighting operations.

See section 9 for additional information.

## SECTION 6: Accidental release measures

**Personal precautions, protective equipment and emergency procedures:** See Section 8 for recommendations on the use of personal protective equipment. If spilled in an enclosed area, ventilate. Avoid raising powdered material due to explosion hazard. Use spark-proof and explosion-proof equipment. If inhalation of dust cannot be avoided, wear an approved particulate respirator.

**Environmental precautions:** Do not flush product into public sewer, water systems or surface waters.

**Methods and materials for containment and cleaning up:** Contain spill. Wear proper personal protective clothing and equipment. Using care to avoid dust generation, vacuum or sweep into a closed container for reuse or disposal. Use approved industrial vacuum cleaner for removal. Avoid causing dust. Place into labeled, closed container; store in safe location to await disposal. Change contaminated clothing and launder before reuse.

## SECTION 7: Handling and storage

**Precautions for safe handling:** As with any chemical product, use good laboratory/workplace procedures. Wash thoroughly after handling this product. Always wash up before eating, smoking or using the facilities. Use under well-ventilated conditions. Avoid eye contact. Avoid repeated or prolonged skin contact. Avoid drinking, tasting, swallowing or ingesting this product. Avoid routine inhalation of dust of any kind. Exercise care when emptying containers, sweeping, mixing or doing other tasks which can create dust. Wash contaminated clothing before reuse. Discard shoes contaminated with this product. Provide eyewash fountains and safety showers in the work area. As a precaution to control dust explosion potential, implement the following safety measures: Eliminate ignition sources (e.g., sparks, static buildup, excessive heat, etc.). In general, dust of organic materials is a static charge generator which may be ignited by electrostatic discharge, electrical arcs, sparks, welding torches, cigarettes, open flame, or other significant heat sources. Use spark-proof tools and equipment. Bond, ground and properly vent conveyors, dust control devices and other transfer equipment. Prohibit flow of polymer, powder or dust through non-conductive ducts, vacuum hoses or pipes, etc.; only use grounded, electrically conductive transfer lines when pneumatically conveying product. Good housekeeping and controlling of dusts are necessary for safe handling of product. Prevent accumulation of dust (e.g., well-ventilated conditions, promptly vacuuming spills, cleaning overhead horizontal surfaces, etc.). A properly engineered explosion suppression system must be considered. See standards such as the National Fire Protection Association NFPA 654, "Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids"; NFPA 69, "Standard on Explosion Prevention Systems"; NFPA 68, "Standard on Explosion Protection by Deflagration Venting"; NFPA 77, "Recommended Practice on Static Electricity" and other standards as the need exists.

**Conditions for safe storage, including any incompatibilities:** Store cool and dry, under well-ventilated conditions. Keep away from heat, sparks and open flames. Store this material away from incompatible substances (see section 10). Do not store in open, unlabeled or mislabeled containers. Keep container closed when not in use.

## SECTION 8: Exposure controls / personal protection

### Control parameters:

#### Occupational exposure limits (OEL):

Chemical Name	ACGIH - TWA/Ceiling	OSHA - PEL	OSHA - STEL	ACGIH - STEL	OSHA - Ceiling	AIHA - WEEL
Silica-amorphous	N/E			N/E		
Silica-amorphous	20 mppcf TWA ((80)/(% SiO <sub>2</sub> ) mg/m <sup>3</sup> TWA)		N/E	N/E		N/E

N/E=Not established (no exposure limits established for the listed substances for listed country/region/organization).

PNOS: ACGIH has recommended the following exposure limits for Particulates (insoluble or poorly soluble) not otherwise specified (PNOS): 10 mg/m<sup>3</sup> TWA (inhalable particles), 3 mg/m<sup>3</sup> TWA (respirable particles). OSHA exposure limits for Particulates not otherwise regulated are 15 mg/m<sup>3</sup> TWA (total dust) and 5 mg/m<sup>3</sup> TWA (respirable fraction).

### Exposure controls:

**Appropriate engineering controls:** Always provide effective general and, when necessary, local exhaust ventilation to draw dust away from workers to prevent routine inhalation. Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. Eliminate ignition sources (e.g., sparks, static buildup, excessive heat, etc.). Prohibit flow of powder or dust through non-conductive ducts, vacuum hoses, or pipes, etc. Bond, ground, and properly vent conveyors, dust control devices and other transfer equipment. (Ventilation guidelines/techniques may be found in publications such as Industrial Ventilation: American Conference of Governmental Industrial Hygienists, 1330 Kemper Meadow Drive, Cincinnati, OH, 45240-1634, USA.) (<http://www.acgih.org/home.htm>).

#### Individual protection measures, such as personal protective equipment (PPE):

**Eye/face protection:** Wear eye protection.

**Skin and body protection:** Wear chemical resistant (impervious) gloves. Use good laboratory/workplace procedures including personal protective clothing: labcoat, safety glasses and protective gloves.

**Respiratory protection:** Respiratory protection is not needed with proper ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. If inhalation of dust cannot be avoided, wear an approved particulate respirator. Dust production: dust mask with filter type P1 or P2. Use respirator in accordance with manufacturer's use limitations and OSHA standard 1910.134 (29CFR).

**Further information:** Eyewash fountains and safety showers are recommended in the work area.

## SECTION 9: Physical and chemical properties

<b>Form:</b>	Crystalline Powder	<b>pH:</b>	Not Available
<b>Appearance:</b>	White	<b>Relative density:</b>	1.4
<b>Odor:</b>	Slight	<b>Partition coefficient (n-octanol/water):</b>	-1 @ 20°C
<b>Odor threshold:</b>	Not Available	<b>% Volatile by weight:</b>	Not Available
<b>Solubility in water:</b>	Soluble	<b>VOC:</b>	Not Available
<b>Evaporation rate:</b>	Not Available	<b>Boiling point °C:</b>	Not Available
<b>Vapor pressure:</b>	Not Available	<b>Boiling point °F:</b>	Not Available
<b>Vapor density:</b>	Not Available	<b>Flash point:</b>	Not Applicable
<b>Viscosity:</b>	Not Available	<b>Auto-ignition temperature:</b>	>360°C (>680°F)
<b>Melting point/Freezing point:</b>	207-212 °C (404-414 °F)	<b>Flammability (solid, gas):</b>	Not flammable (may form combustible dust concentrations in air)
<b>Oxidizing properties:</b>	Not oxidizing	<b>Flammability or explosive limits:</b>	LFL/LEL: Not Available
<b>Explosive properties:</b>	Not explosive		UFL/UEL: Not Available
<b>Decomposition temperature:</b>	Not Available	<b>Surface tension:</b>	

**Other information:** Amounts specified are typical and do not represent a specification.

**Dust combustibility data:** CYANOQUANIDINE: Particle size variation is considered a critical factor in regards to dust explosion hazard information. Results applicable as follows: sample particle size <75 um, 0.3% moisture content. Sample tested may not be typical of product.:

- Maximum rate of pressure rise: 440 bars/sec
- Maximum pressure of explosion: 9.5 bars
- Deflagration Index, Kst (estimate): 119 bar-m/sec

## SECTION 10: Stability and reactivity

**Reactivity:** None known.

**Chemical stability:** This product is stable.

**Possibility of hazardous reactions:** Hazardous polymerization will not occur.

**Conditions to avoid:** Avoid dust formation.

**Incompatible materials:** Avoid strong acids, bases, and oxidizing agents. Avoid strong oxidizers such as chlorates, bromates, and nitrates.

**Hazardous decomposition products:** Carbon dioxide, carbon monoxide, oxides of nitrogen, hydrogen cyanides, isocyanates and amines.

## SECTION 11: Toxicological information

**Information on likely routes of exposure:**

**General:** Caution must be exercised through the prudent use of protective equipment and handling procedures to minimize exposure. CYANOQUANIDINE: At higher concentrations, may cause blood effects including formation of methaemoglobin (cyanosis), based on animal data.

**Eyes:** Solid particles on the eye (powder/dust) may cause pain and be accompanied by irritation.

**Skin:** Repeated or prolonged skin contact may cause irritation.

**Inhalation:** Dust inhalation may cause respiratory irritation.

**Ingestion:** Ingestion may cause irritation.

**Symptoms/effects, acute and delayed:** Irritation

**Acute toxicity information:** Not classified (based on available data, the classification criteria are not met). ATEmix (oral): >5000 mg/kg. ATEmix (dermal): >2000 mg/kg. ATEmix (inhal.): >259 mg/m<sup>3</sup>, 4 hours.

<u>Chemical Name</u>	<u>Inhalation LC50</u>	<u>Species</u>	<u>Oral LD50</u>	<u>Species</u>	<u>Dermal LD50</u>	<u>Species</u>
Silica-amorphous	>2.2 mg/L (1 hour, no mortalities)	Rat/ adult	>5000 mg/kg	Rat/ adult	>5000 mg/kg	Rabbit/ adult

**Skin corrosion/irritation:** Not classified (based on available data, the classification criteria are not met).

<u>Chemical Name</u>	<u>Skin irritation</u>	<u>Species</u>
Silica-amorphous	Non-irritant	Rabbit/ adult

**Serious eye damage/irritation:** Not classified (based on available data, the classification criteria are not met).

<u>Chemical Name</u>	<u>Eye irritation</u>	<u>Species</u>
Silica-amorphous	Non-irritant	Rabbit/ adult

**Respiratory or skin sensitization:** Not classified (based on available data, the classification criteria are not met).

CYANOQUANIDINE: Based on the weight of evidence of several skin sensitization studies, this material does not have sensitizing potential.

<u>Chemical Name</u>	<u>Skin sensitisation</u>	<u>Species</u>
Silica-amorphous	Non-sensitizer	N/E

**Carcinogenicity:** Not classified (based on available data, the classification criteria are not met). CYANOQUANIDINE: 2-year carcinogenicity study in rats resulted in a determination that this material has no carcinogenic potential. NOAEL (no-observed-adverse-effect-level) (carcinogenicity), rat: 15000 ppm; LOAEL (Lowest-observable-adverse-effect-level) (carcinogenicity), rat: 50000 ppm.

**Carcinogenic status:** The components of this mixture are not known to be listed or regulated by IARC (Group 1 or 2), NTP, OSHA or ACGIH.

**Germ cell mutagenicity:** Not classified (based on available data, the classification criteria are not met). CYANOQUANIDINE: Mutagenicity was negative in in-vitro genotoxicity assays.

**Reproductive toxicity:** Not classified (based on available data, the classification criteria are not met). CYANOQUANIDINE: Reproductive toxicity, 2-generation oral study in rats: NOAEL (no-observed adverse-effect-level) = 725-1002 mg/kg/day. Prenatal Developmental toxicity, oral, rabbit, rats: NOAEL of 1000 mg/kg bw/day (maternal toxicity, embryo/fetal developmental toxicity).

**Specific target organ toxicity (STOT) - single exposure:** Not classified (based on available data, the classification criteria are not met). CYANOQUANIDINE: In oral acute toxicity studies, the following effects were observed within 1-2 hours of dosing at high doses (30,000 mg/kg) but disappeared within 18 hours after dosing: hypothermia, decrease in locomotor activity, cyanosis and lateral position.

**Specific target organ toxicity (STOT) - repeated exposure:** Not classified (based on available data, the classification criteria are not met). CYANOQUANIDINE: Repeated dose study, oral, rats: NOAEL (no-observed-adverse-effect-level)= 570-1000 mg/kg/day.

**Aspiration hazard:** Not classified (technical impossibility to obtain the data).

**Other toxicity information:** No additional information available.

## SECTION 12: Ecological information

**Ecotoxicity:** Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50 >100 mg/L in most sensitive species tested).

<u>Chemical Name</u>	<u>Species</u>	<u>Acute</u>	<u>Acute</u>	<u>Chronic</u>
Silica-amorphous	Fish	LC50 >10000 mg/L (96 hours)	N/E	N/E
Silica-amorphous	Invertebrates	EC50 >1000 mg/L (48 hours)	N/E	N/E
Silica-amorphous	Algae	EC50 440 mg/L (72 hours) (similar materials)	N/E	N/E

**Persistence and degradability:** Not readily biodegradable.

<u>Chemical Name</u>	<u>Biodegradation</u>
Silica-amorphous	Not applicable (inorganic)

**Bioaccumulative potential:** Not expected to bioaccumulate.

SDS Name: OMICURE\* DDA5

**Chemical Name**

Silica-amorphous

**Bioconcentration Factor (BCF)**

N/E

**Log Kow**

no bioaccumulation expected

**Mobility in soil:** No specific information available.

**Chemical Name**

Silica-amorphous

**Mobility in soil (Koc/Kow)**

inert material

**Other adverse effects:** No additional information available.

## SECTION 13: Disposal considerations

Although this product is not defined or designated as hazardous by current provisions of the Federal (EPA) Resource Conservation and Recovery Act (RCRA, 40CFR261), recognize that in appropriate dust/air ratio, dust cloud in air may have explosion potential. Incinerate or landfill waste in a properly permitted facility in accordance with federal, state and local regulations.

See Section 8 for recommendations on the use of personal protective equipment.

## SECTION 14: Transport information

The information below is provided to assist in documentation. It may supplement the information on the package. The package in your possession may carry a different version of the label depending on the date of manufacture. Depending on inner packaging quantities and packaging instructions, it may be subject to specific regulatory exceptions.

**UN number:** N/A

**UN proper shipping name:**

Not regulated - See Bill of Lading for Details

**Transport hazard class(es):**

**U.S. DOT hazard class:** N/A

**Canada TDG hazard class:** N/A

**Europe ADR/RID hazard class:** N/A

**IMDG Code (ocean) hazard class:** N/A

**ICAO/IATA (air) hazard class:** N/A

A "N/A" listing for the hazard class indicates the product is not regulated for transport by that regulation.

**Packing group:** N/A

**Environmental hazards:**

**Marine pollutant:** Not Applicable

**Hazardous substance (USA):** Not Applicable

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:**

Not Applicable

**Special precautions for user:** Not Applicable

## SECTION 15: Regulatory information

**Safety, health and environmental regulations specific for the product in question:**

**U.S. federal and state regulations/legislation:**

This SDS has been prepared in accordance with the hazard criteria of the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**U.S. Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) Reportable Quantity (RQ):**

Not Applicable

**U.S. Superfund Amendments and Reauthorization Act (SARA) - SARA Section 313:**

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372:

None known

**U.S. TSCA Section 12(b) Export Notification:**

This product is not subject to TSCA 12(b) reporting requirements.

**California Proposition 65:**

The following ingredient(s) present in the product is [are] known to the State of California to cause cancer:

None known to be present or none in reportable amounts for occupational exposure as per OSHA's approval of the California Hazard Communication Standard, Federal Register, page 31159 ff, 6 June 1997.

The following ingredient(s) present in the product is [are] known to the State of California to cause birth defects or other reproductive harm:

None known to be present or none in reportable amounts for occupational exposure as per OSHA's approval of the California Hazard Communication Standard, Federal Register, page 31159 ff, 6 June 1997.

**Notes:** No additional information

**Canada regulations/legislation:**

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations and the SDS contains all the information required by the Hazardous Products Regulations.

**Notes:** No additional information

**Chemical inventories:**

<u>Regulation</u>	<u>Status</u>
Australian Inventory of Chemical Substances (AICS):	Y
Canadian Domestic Substances List (DSL):	Y
Canadian Non-Domestic Substances List (NDSL):	N
China Inventory of Existing Chemical Substances (IECSC):	Y
European EC Inventory (EINECS, ELINCS, NLP):	Y
Japan Existing and New Chemical Substances (ENCS):	Y
Japan Industrial Safety and Health Law (ISHL):	Y
Korean Existing and Evaluated Chemical Substances (KECL):	Y
New Zealand Inventory of Chemicals (NZIoC):	Y
Philippines Inventory of Chemicals and Chemical Substances (PICCS):	Y
Taiwan Inventory of Existing Chemicals:	Y
U.S. Toxic Substances Control Act (TSCA) (Active):	Y

A "Y" listing indicates all intentionally added components are either listed or are otherwise compliant with the regulation. A "N" listing indicates that for one or more components: 1) there is no listing on the public inventory (or is not on the ACTIVE inventory for U.S. TSCA); 2) no information is available; or 3) the component has not been reviewed. A "Y" for New Zealand may mean that a qualified group standard may exist for the components in this product.

**Europe REACH (EC) 1907/2006:** Applicable components are registered, exempt or otherwise compliant. REACH is only relevant to substances either manufactured or imported into the EU. Huntsman Corporation has met its obligations under the REACH regulation. REACH information regarding this product is provided for informational purposes only. Each Legal Entity may have differing REACH obligations, depending on their place in the supply chain. For material manufactured outside of the EU, the importer of record must understand and meet their specific obligations under the regulation.

**SECTION 16: Other information**

**SDS Revision date:** 2020-07-21

**HMIS (Hazardous Materials Identification System) Ratings:**

**Health:** 1      **Flammability:** 1      **Physical hazard:** 0      **Personal Protection:** X

**NFPA (National Fire Protection Association) Ratings:**

**Health:** 1      **Flammability:** 1      **Instability:** 0      **Special hazards:**

Key: 0=Insignificant; 1=Slight; 2=Moderate; 3=High; 4=Extreme. An asterisk appearing after the HMIS Health numerical rating denotes a chronic hazard.

Hazardous Materials Identification System (HMIS), National Paint and Coating Association, rating applies to product "as packaged" (i.e., ambient

SDS Name: OMICURE\* DDA5

temperature). Ratings are based upon HMIS® III and NFPA 704 (2007). An asterisk appearing after the HMIS Health® III numerical rating denotes a chronic hazard. National Fire Protection Association (NFPA) rating identifies the severity of hazards of material during a fire emergency (i.e., "on fire").

**Legend:**

\* : Trademark owned by Huntsman Corporation.

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA WEEL: American Industrial Hygiene Association (AIHA) Workplace Environmental Exposure Level (WEEL)

N/A: Not Applicable

N/E: None Established

STEL: Short Term Exposure Limit

TWA: Time Weighted Average (exposure for 8-hour workday)

**Users Responsibility/Disclaimer of Liability:**

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

This bulletin cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. It is your responsibility to develop appropriate work practice guidelines and employee instructional programs for your operation.

Safety Data Sheet Preparer:

Product Compliance Department